

Command	Format	Response	Comments
Data:[R][G][B][W]\r\n	R/G/B/W : ASCI HEX	-	
Raw:[R][G][B][W]..[n]\r\n	R/G/B/W : ASCI HEX	-	
White:[W][WW]\r\n	W/WW : ASCI HEX	-	
Ssid:[SSID]\r\n	SSID : max 32 chars	Ssid:Ok\r\n	
Password:[PWD]\r\n	PWD : max 32 chars	Password:Ok\r\n	
Effect:[VAL]\r\n	VAL : 0 - 12	-	
GetVersion\r\n		Version:[Data]-[Model]-[Typ]\r\n	
Brightness:[VAL]\r\n	VAL : 1 - 255	-	
Reset\r\n		-	
SetName:[NAME]\r\n	NAME: max 16 chars	SetName:Ok\r\n	
GetName\r\n		Name:[NAME]\r\n	
GetPixelNum\r\n		PixelNum:[VAL]\r\n	
SetPixelNum:[VAL]\r\n	VAL : 1 - 120	-	
GetMode\r\n		Mode:Data:[R][G][B][W]\r\n Mode:Raw:[R][G][B][W]..[n]\r\n Mode:Effect:[VAL]\r\n Mode:White:[W][WW]\r\n	
GetInterval\r\n		Interval:[VAL]\r\n	
GetBrightness\r\n		Brightness:[VAL]\r\n	
SetHwVersion\r\n		-	
GetId\r\n		-	



